


MINGUS MTN.

Lat. 34°30'
 Long. 112°00'

ARIZONA 282

C&GS 34 112 12

(1)	J. T. Stewart	1902	9282
(2)	"	"	"
(3)	"	"	"
(4)	"	"	"
(5)	"	"	"
(6)	J. G. Ransom	1931	4635
(7)	John Burns	1943	V 83




UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

MINGUS MTN QUADRANGLE
ARIZONA 282
N 3430 W 11200/15

THIRD-ORDER LEVELING
Sea Level Datum of 1929

FILE COPY

Yavapai County
Edition of 3/3/55
Supersedes multilith list of 1/3/45
Only the standard tablets are listed for lines run more than 25 years before the above edition date



USC&GS Leveling Lines

- A. Puntenney to Flagstaff, Arizona, 4/17/41 (43)
- B. Bowie to Clemenceau, Arizona, 4/24/41 (5)
- C. Phoenix to Prescott, Arizona, 12/31/52 (41)
- D. Cove Creek Area, Arizona, 8/31/54 (7)

Feet

LINE 1.

FROM PRESCOTT QUADRANGLE SOUTHEAST ALONG ROAD TO CARTER RANCH, THENCE NORTHEAST ALONG STATE HIGHWAY 79 TO JEROME (by J. T. Stewart, 1902; Book 9282)

Carter Ranch, about 1.9 mi. WNW. of; in forks of wash; 25 ft. N. of rd.; iron post with bronze cap stamped "5430 PRSCT" **New Desc.** 5438.198

Carter Ranch, (now abandoned) in SE. corner of yard to; under an apple tree; on SE. bank of stream; at mouth of Yaeger Canyon; iron post with bronze cap stamped "5763 PRSCT" (recovered by USC&GS) **New Desc.** 5771.117

Carter Ranch, about 4.5 mi. NE. of; 7.8 mi. SW. of Jerome; 90 ft. SW. of a stonework service station; 45 ft. W. of summit of grade on Mingus Mountain; iron post with bronze cap stamped "7025 PRSCT" (recovered by USC&GS) **New Desc.** 7035.209
Reset 282
(SUMM)
7034.124

Jerome, about 5.0 mi. SW. of; 0.8 mi. S. of a saddle-back divide; in Mescal Gulch; 650 ft. S. of corral; 400 ft. SE. of center of hwy.; 50 ft. W. of old wagon rd.; W. side of wash; in limestone outcrop; standard tablet stamped "6232 PRSCT" (recovered by USC&GS) **New Desc.** 6240.092

Jerome, about 4.5 mi. SW. of; about 0.5 mi. N. of Mescal Station (now abandoned) 20 ft. E. of rd. in divide; standard tablet stamped "6504 PRSCT" **New Desc.** 6511.802

Jerome, about 2.8 mi. SW. of; 120 ft. E. of rd.; iron post with bronze cap stamped "6473 PRSCT" **New Desc.** 6481.045

Jerome, about 1.1 mi. W. of; at top of Smelter Hill; at point where rd. passes through top of ridge; 120 ft. E. of rd.; standard tablet stamped "6269 PRSCT" **New Desc.** 6276.791
"6052 PRSCT" (reported destroyed Aug. 3, 1938) 6059.836

Jerome, SE. corner of United Yards Copper Co. office building; 8 in. higher than ground; aluminum tablet stamped "5428 PRSCT" 5436.524

Jerome, at the T. F. Miller store; at SE. corner of E. stone wall; 2 ft. higher than ground; set vertically; aluminum tablet stamped "5153 PRSCT" (recovered by USC&GS) 5157.555
Note: This mark is unreliable due to mine subsidence.

LINE 2.

FROM CLARKDALE QUADRANGLE SOUTHEAST ALONG ROADS IN NORTHEAST PART OF QUADRANGLE INTO CAMP VERDE NO. 3 QUADRANGLE (by J. T. Stewart in 1902; Book 9282)

Cottonwood, 125 ft. S. of Garrison's Ford Garage; 15 ft. E. of rd.; iron post with bronze cap stamped "3315 PRSCT" **New Desc.** 3322.981

Cottonwood, about 3.4 mi. SE. of; on old rd.; 0.25 mi. E. of hwy.; 0.3 mi. NW. of rd. and hwy. intersection to N. of Bridgeport; 100 ft. W. of old house; in small orchard 40 ft. W. of rd.; iron post with bronze cap stamped "3276 PRSCT" 3283.879

022304

*

Jerome, at point where rd. strikes bottom of Deception Gulch (Walnut Gulch) in going from Jerome to Verde River; 100 ft. N. of creek; on SW. side of rd.; in large boulder; standard tablet stamped "4743 PRSCT" (recovered by USC&GS, 1933) 4751.355

LINE 3.

FROM CARTER'S RANCH SOUTH ALONG ROADS INTO MAYER QUADRANGLE (by J. T. Stewart in 1902; Book 9282)

Carter's Ranch, (now abandoned) 2.5 mi. S. of; 8.3 mi. N. of Dewey; 1.0 mi. E. of high round hill; 0.3 mi. SE. of power line; NW. bank of wash; 100 ft. S. of intersection of Prescott, Jerome and Dewey Road; iron post with bronze cap stamped "5331 PRSCT" **New Desc.** 5339.124

Dewey, 5.5 mi. N. of; 25 ft. W. of rd.; iron post with bronze cap stamped "4979 PRSCT" **New Desc.** 4987.191

Dewey, 2.3 mi. N. of; 0.3 mi. S. of deserted ranch; 75 ft. N. of rd. intersection; iron post with bronze cap stamped "4686 PRSCT" **New Desc.** 4693.890

Dewey, on State Highway 69; 0.2 mi. S. of post office; 650 ft. S. and 200 ft. E. of jct. of rd. leading E. to Cherry; in fence of yard around small house; 48 ft. W. of the house; iron post with bronze cap stamped "4548 PRSCT" (recovered by USC&GS) **New Desc.** 4556.185

LINE 4.

FROM CAMP VERDE NO. 3 QUADRANGLE GENERALLY SOUTHWEST INTO PRESCOTT QUADRANGLE (by J. T. Stewart, 1902; Book 9282)

Cherry post office, 3.0 mi. E. of; at top of ridge overlooking Verde Valley; 40 ft. N. of rd.; in granite outcrop; standard tablet stamped "4817 PRSCT" **New Desc.** 4825.378

Cherry post office (Battye ranch), 75 ft. SW. of rd.; near fence; iron post with bronze cap stamped "5004 PRSCT" **Not Found** 197 5012.296

Cherry post office, about 2.4 mi. SW. of along the Dewey Road; at summit of steep grade; 26 ft. S. of center of rd.; 20 ft. S. of a cattle guard; iron post with bronze cap stamped "5441 PRSCT" (recovered by USC&GS) **New Desc.** 5449.084

Cherry post office, about 5.2 mi. SW. of; 2.0 mi. E. of Martin ranch; 25 ft. N. of rd. at top of ridge; iron post with bronze cap stamped "4776 PRSCT" **New Desc.** 4784.430

Cherry post office, 8.0 mi. SW. of; at the Martin ranch; W. side of rd.; near corral fence; iron post with bronze cap stamped "4704 PRSCT" **New Desc.** 4712.381

Cherry post office; 11.5 mi. SW. of; 4.0 mi. E. along the Cherry Road from Dewey; at top of ridge; 80 ft. S. and 30 ft. E. of center of crossroads; iron post with bronze cap stamped "5066 PRSCT" (recovered by USC&GS) **New Desc.** 5074.314

LINE 5.

FROM MESCAL STATION NORTHEAST ABOUT 2.0 MILES (leveled twice by J. T. Stewart, 1902; Book 9282)

Mescal Station, 0.8 mi. E. of; 200 ft. N. of an abandoned sawmill; 75 ft. W. of cabin; 60 ft. N. of trail; in limestone; standard tablet stamped "6085 PRSCT" **New Desc.** 6092.900

Mescal Station, 1.6 mi. E. of; E. side of mountain; highest point of red rock ridge; 100 ft. E. of trail and E.L.D. shaft; standard tablet stamped "6011 PRSCT" **New Desc.** 6019.262

LINE 6.

NEAR CLEMENCEAU, JOG FROM CAMP VERDE NO. 3 QUADRANGLE (by J. G. Ransom, 1931; Book B 4635)

Aultman, 9.0 mi. NW. of; 4.3 mi. SE. of Cottonwood; USGLO standard cap on iron pipe stamped "T 15 N R 3 E S10 S11 S14 S15 17" (recovered by USC&GS) **New Desc.** 3479.035

Cottonwood post office, 3.9 mi. SE. of; 1.2 mi. S. of jct. of a hwy.; N. bank of gulch; 40 ft. N. of iron culvert with concrete head walls; 35 ft. NE. of center of hwy.; in limestone ledge; standard tablet stamped "17 R 1931" (recovered by USC&GS) 3459.790

Reference mark, 450 ft. S. of tablet; in bottom of draw; on W. corner of bridge; at end of iron railing; chiseled square 3428.81

Cottonwood, 2.9 mi. SE. of; 250 ft. SE. of intersection of Camp Verde Road and Flagstaff Highway; 150 ft. NE. of culvert on Camp Verde Road; on rock outcrop; chiseled point 3330.80

LINE 7.

FROM FORKS OF ROAD ABOUT 5.0 MILES SOUTHWEST OF CHERRY EAST AND SOUTHEAST ALONG JOHNSON WASH ROAD INTO CAMP VERDE NO. 3 QUADRANGLE (by John Burns, 1943; Book V 83 a)

USC&GS standard disk stamped "C 131 1935" 4771.096

USC&GS standard disk stamped "S 111 1935" 4778.990

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Arizona COUNTY Yavapai QUADRANGLE Mingus Mtn NW
QUOTE PRIMARY REFERENCE Carter Ranch, about 1.9 mi. NNW of;
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED 5430 PRSCT
STAMPED _____ } TYPE OF MARK: BM X TT _____ TRIANG. _____
Lat. _____ ° _____ ' _____ " CONDITION
Disturbed USGS USBR
Long. _____ ° _____ ' _____ " Destroyed USC&GS State GS
Elev. _____ feet Not Found USNPS USNFS
USGLO } _____ (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION: Revised description:
About 14.0 miles southwest along State Highway 89A from the P.O. at Jerome, Yavapai Co.; thence 1.0 miles north along a fence; then cross country .015 mi. west; 225 feet E. of a drain fork; 125 feet south of the centerline of a drain; 30 feet north of a small drain. An iron post with a bronze cap stamped "5430 PRSCT".

SUBMITTED BY Wm. Kranzler
TITLE Cart. Tech. DATE 7/20/73
AGENCY US Geological Survey

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Arizona COUNTY Yavapai QUADRANGLE Mingus Mtn NW
QUOTE PRIMARY REFERENCE About 12.3 miles southwest along State Highway 79 from the post office at Jerome;
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED 5763(USGS)
STAMPED _____ } TYPE OF MARK: BM X TT _____ TRIANG. _____
Lat. _____ ° _____ ' _____ " CONDITION
Disturbed USGS USBR
Long. _____ ° _____ ' _____ " Destroyed USC&GS State GS
Elev. _____ feet Not Found USNPS USNFS
USGLO } _____ (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION: Revised description:
About 12.7 miles southwest along State Highway 89A from the post office at Jerome, Yavapai Co.; at the mouth of Yaeger Canyon; 1/8 miles south of BM N28; in the southeast corner of a yard; 90 feet east of the corner of a house; 30 feet south of a clump of trees. A standard USGS tablet stamped "5763 PRSCT" and riveted on the top of a 3 1/2 inch iron pipe.

SUBMITTED BY Wm. Kranzler
TITLE Carto. Tech DATE 7/20/73
AGENCY US Geological Survey

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Arizona COUNTY Yavapai QUADRANGLE Mingus Mtn NW
QUOTE PRIMARY REFERENCE Jerome, about 2.8 mi. SW of.
(Direction and distance)

DESIGNATION { LISTED 6473 PRSCT
STAMPED _____ TYPE OF MARK: BM X TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION
Disturbed ESTABLISHED BY
Long. _____ ° _____ ' _____ " Destroyed USGS USBR
Elev. _____ feet Not Found USC&GS State GS
USNPS USNFS
USGLO (Other)
USBLM

REMARKS OR REVISED DESCRIPTION: Revised description;
About 2.7 miles southwest along State Highway 89A from the P.O. at Jerome, Yavapai Co.; thence north and west along a 4 wheel drive road 2.5 miles to BM. BM is 18 feet S. of centerline of the road. An iron pipe with a brass cap stamped "6473 PRSCT".

SUBMITTED BY Wm. Kranzler DATE 7/20/73
TITLE Carto. Tech.
AGENCY US Geological Survey

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-54853-4

(OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Arizona COUNTY Yavapai QUADRANGLE Mingus Mtn NW
QUOTE PRIMARY REFERENCE Jerome, about 1.1 mi. W. of.
(Direction and distance)

DESIGNATION { LISTED 6269 PRSCT
STAMPED _____ TYPE OF MARK: BM X TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION
Disturbed ESTABLISHED BY
Long. _____ ° _____ ' _____ " Destroyed USGS USBR
Elev. _____ feet Not Found USC&GS State GS
USNPS USNFS
USGLO (Other)
USBLM

REMARKS OR REVISED DESCRIPTION: revised description;
About 2.7 miles southwest along State Highway 89A from the P.O. at Jerome, Yavapai Co.; thence 0.8 miles north along a 4 wheel drive road that starts at the west side of a culvert crossing to the top of the ridge; at a saddle; 165 feet east of the junction of the 4 wheel drive road and an old road leading north east to Jerome (no longer passable); a standard tablet stamped "6269 PRSCT" cemented in a limestone outcrop 4.0 feet above the road fork.

SUBMITTED BY Wm. Kranzler DATE 7/20/73
TITLE Carto. Tech.
AGENCY US Geological Survey

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-54853-4

(OVER)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Arizona COUNTY Yavapai QUADRANGLE Mingus Mtn NW
QUOTE PRIMARY REFERENCE Carter's Ranch, (now abandoned) 2.5 mi. S. of;
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED 5331 PRSCT
STAMPED _____ TYPE OF MARK: BM TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION
Disturbed USGS USBR
Long. _____ ° _____ ' _____ " Destroyed USC&GS State GS
Elev. _____ feet Not Found USNPS USNFS
USGLO } _____ (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION: Revised description:
About 14.3 miles southwest along Highway 89A from the P.O. at Jerome, Yavapai Co.; thence 1.0 miles SW along the road to Dewey; Then east 0.35 miles along a dirt road to a windmill to the BM on the left. BM is 360 feet NE of the windmill; 65 feet north of the centerline of a drain; 55 feet west of the centerline of the drain; an iron post with a brass cap stamped " 5331 PRSCT".

SUBMITTED BY Wm. Kranzler
TITLE Cart. Tech. DATE 7/20/73
AGENCY US Geological Survey

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Ariz. COUNTY Yavapai QUADRANGLE Mingus Mtn.
QUOTE PRIMARY REFERENCE Dewey 5.5 miles N. of
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED _____
STAMPED 4979 PRSCT TYPE OF MARK: BM TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION
Disturbed USGS USBR
Long. _____ ° _____ ' _____ " Destroyed USC&GS State GS
Elev. 4987.2 feet Not Found USNPS USNFS
USGLO } _____ (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION:
Dewey, 3.0 Miles north of along State highway 69, Thence 4.0 miles north along the old Jerome-Dewey road, thence 0.5 Miles NE along a dirt road to a large stock tank thence 0.7 Miles south, across country, along the West side of the drain, about 50 ft. NW of the drain and about 300 ft NE of the drain fork, a standard tablet on an Iron post projecting about 1.0 ft. above ground.

SUBMITTED BY James D. Vrossen
TITLE Carto. Tech. DATE 8/20/73
AGENCY USGS Topo Div.

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Ariz. COUNTY Yavapai QUADRANGLE Mingus Mtn.
QUOTE PRIMARY REFERENCE Dewey, 2.3 Miles N. of
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED _____
STAMPED 4686 PRSCT TYPE OF MARK: BM X TT _____ TRIANG. _____
CONDITION ESTABLISHED BY
Lat. _____' _____" Disturbed USGS USBR
Long. _____' _____" Destroyed USC&GS State GS
Elev. 4693.890 feet Not Found USNPS USNFS
USGLO (Other)
USBLM

REMARKS OR REVISED DESCRIPTION:

Dewey, 3.0 Miles north along State highway 69, thence 0.1 miles north along the old Dewey-Jerome road to the Fain Ranch hdqrs. The BM is about 0.8 Miles East of the old ranch bldgs. on a dirt road, about 150 ft. NE of a gate in a fence.

SUBMITTED BY J. D. Crossen
TITLE Carto Tech.
AGENCY USGS Topo. Div.

DATE 8/20/73

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-54252-4

(OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Ariz. COUNTY Yavapai QUADRANGLE Mingus Mtn.
QUOTE PRIMARY REFERENCE At. Dewey, Yavapai co. on state highway 69
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED _____
STAMPED 4548 PRSCT TYPE OF MARK: BM X TT _____ TRIANG. _____
CONDITION ESTABLISHED BY
Lat. _____' _____" Disturbed USGS USBR
Long. _____' _____" Destroyed USC&GS State GS
Elev. 4556.185 feet Not Found USNPS USNFS
USGLO (Other)
USBLM

REMARKS OR REVISED DESCRIPTION:

MK. found in good condition .
The description should be revised, it should indicate this is no longer on highway 69. A new highway 69 has been built to the West of the Santa Fe tracks while the old road is on the East side of the Tracks.

SUBMITTED BY James D. Crossen
TITLE Carto. Tech.
AGENCY USGS Topo. Div.

DATE 4/27/73

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-54252-4

(OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Ariz. COUNTY Yavapai QUADRANGLE Mingus Mtn.
QUOTE PRIMARY REFERENCE Cherry Post Office, 3.0 Miles E. of
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED _____
STAMPED 4817PRCT TYPE OF MARK: BM X TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION Disturbed
Long. _____ ° _____ ' _____ " Destroyed ESTABLISHED BY USGS USBR
Elev. 4825.378 feet Not Found USC&GS State GS
USNPS USNFS
USGLO } (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION:
Cherry, (at road and crossing of Che rry creek) 3.6 Miles East of, at the top of a saddle overlooking the Verde Valley, about 150 ft, NE of the road and about 45 ft. higher, 40 ft NW of a gate in a fence,----- (rest of desc. is OK)---
Standard tablet set in a granite out-crop-----

SUBMITTED BY J. D. Crossen
TITLE Carto. Tech.
AGENCY USGS TOPO. Div.

DATE 8/20/73

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-54252-4

(OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Ariz. COUNTY Yavapai QUADRANGLE Mingus Mtn. SE
QUOTE PRIMARY REFERENCE About 2.4 Miles SW along the Dewey rd. from Cherry
(Direction and distance) LINE 4 ARIZ. QUAD 282

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED 5441 USGS
STAMPED 5441 Prsct TYPE OF MARK: BM X TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION Disturbed
Long. _____ ° _____ ' _____ " Destroyed ESTABLISHED BY USGS USBR
Elev. 5449.084 feet Not Found USC&GS State GS
USNPS USNFS
USGLO } (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION:
Found as described and in good condition, ~~new~~ Revised description follows.
"About 2.5 Miles Southwest along the Dewey road from the crossing of Cherry Creek in Cherry, Yavapai County----- Rest of desc. correct.

SUBMITTED BY J. D. Crossen
TITLE Chief of Party
AGENCY USGS TOPO. DIV.

DATE 3/27/73

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-54253-4

APR 1973

(OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Ariz. COUNTY Yavapai QUADRANGLE Mingus Mtn. SE
QUOTE PRIMARY REFERENCE Cherry Post Office, about 5.2 Miles Southwest of
(Direction and distance) Line 4 Ariz. 282

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED _____
STAMPED 4776 PRSCT TYPE OF MARK: BM X TT _____ TRIANG. _____

Lat. _____' _____" CONDITION Disturbed
Long. _____' _____" Destroyed ESTABLISHED BY USGS USBR
Elev. 4784.430 feet Not Found USC&GS State GS
USNPS USNFS
USGLO } _____
USBLM } (Other)

REMARKS OR REVISED DESCRIPTION: Mk. in good condition revised desc. follows.
About 5.3 Miles Southwest along the Dewey Road from the Cherry Creek crossing
in Cherry, Yavapai County, near the top of a ridge, 25 ft. north of the road,
an iron post with a brass cap stamped "4776 PRSCT"

SUBMITTED BY J. D. Crossen
TITLE Carto. Tech.
AGENCY USGS TOPO DIV

DATE 3/29/73

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-54852-4

APR 1973 (OVER)

REPORT ON PERMANENT SURVEY MARK

ARIZONA 282
AREA OFFICE

STATE Ariz. COUNTY Yavapai QUADRANGLE Mingus Mtn. SW
QUOTE PRIMARY REFERENCE Cherry Post Office, 8.0 Miles southwest of along the Dewey Rd
(Direction and distance) line 4 Ariz. Quad 282

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED 4704 PRSCT
STAMPED 4704 PRSCT TYPE OF MARK: BM X TT _____ TRIANG. _____

Lat. _____' _____" CONDITION Disturbed
Long. _____' _____" Destroyed ESTABLISHED BY USGS USBR
Elev. 4712.381 feet Not Found USC&GS State GS
USNPS USNFS
USGLO } _____
USBLM } (Other)

REMARKS OR REVISED DESCRIPTION: MK. found in good condition, revised desc. follows.
Cherry creek crossing at Cherry, 8.1 Miles Southwest of along the Dewey road:
Junction of State highway 169 and state highway 69 at Dewey, Yavapai County,
at and old ranch house, about 120 ft north of the road in the northeast corner
of the corral next to the house, about 70 feet Southwest of the house and about
0.4 ft. BELOW THE LEVEL OF THE GROUND, an iron post with a brass cap.

SUBMITTED BY J. D. Crossen
TITLE Carto. Tech.
AGENCY USGS TOPO DIV

DATE 3/29/73

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-54852-4

APR 1973 (OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Ariz. COUNTY Yavapai QUADRANGLE Mingus Mtn
QUOTE PRIMARY REFERENCE Cherry post office, 11.5 Mi. SW of
(Direction and distance)

DESIGNATION { LISTED _____
STAMPED 5066 PRSCT TYPE OF MARK: BM TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION
Long. _____ ° _____ ' _____ " Disturbed
Elev. 5074.314 feet Destroyed Not Found ESTABLISHED BY
USGS USBR
USC&GS State GS
USNPS USNFS
USGLO (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION:

About 3.6 Miles East along State highway 169 from Dewey, Yavapai county, at a deep cut, about 30 ft. South of the center line of the highway at edge of clear area, about 27 ft higher than the road, a standard tablet on a 3 1/2" iron pape.

SUBMITTED BY James D. Crossen

TITLE Carto Tech.

DATE 8/20/73

AGENCY USGS Topo Div.

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Arizona COUNTY Yavapai QUADRANGLE Mingus Mtn NE
QUOTE PRIMARY REFERENCE Mescal Station, 0.8 miles E. of;
(Direction and distance)

DESIGNATION { LISTED 6085 PRSCT
STAMPED _____ TYPE OF MARK: BM TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION
Long. _____ ° _____ ' _____ " Disturbed
Elev. _____ feet Destroyed Not Found ESTABLISHED BY
USGS USBR
USC&GS State GS
USNPS USNFS
USGLO (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION: Revised description;

About 4.9 miles southwest along State Highway 89A from the P.O. at Jerome, Yavapai Co.; thence east 0.8 miles along a dirt road in Mescal Gulch; 60 feet north of the road; a standard tablet stamped "6085 PRSCT" and cemented in a limestone outcrop.

SUBMITTED BY Wm. Kranzler

TITLE Carto. Tech.

DATE 7/20/73

AGENCY US Geological Survey

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Arizona COUNTY Yavapai QUADRANGLE Mingus Mtn NE
QUOTE PRIMARY REFERENCE Mescal Station, 1.8 mi. E. of:
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED 6011 PRSCT
STAMPED _____ TYPE OF MARK: BM X TT _____ TRIANG. _____

Lat. _____ ° _____ ' _____ " CONDITION
Disturbed USGS USBR
Long. _____ ° _____ ' _____ " Destroyed USC&GS State GS
Elev. _____ feet Not Found USNPS USNFS
USGLO } (Other)
USBLM }

REMARKS OR REVISED DESCRIPTION: Revised description;
About 4.9 miles southwest along State Highway 89A from the P.O. at Jerome, Yavapai Co. thence east 1.6 miles along a dirt road in Mescal Gulch; at the highest point of a red rock ridge ; 155 feet east of the road; a standard ~~tablet~~ stamped "6011 PRSCT" cemented in a rock outcrop.
tablet

SUBMITTED BY Wm. Kranzler
TITLE Carto. Tech.
AGENCY US Geological Survey

DATE 7/20/73

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION