

YOSEMITE (437)

California

G.M. Smith, 1933  
H.B. Leggett

Third Order

Adjusted Elevations Based  
on Sea Level Datum of 1929

Book: B5042

- (3) Happy Isles Bridge, 4.8 mi. W. along rd. to old Village, 21 ft. E. of 72 inch cedar tree on N. side of rd., 18 ft. NW. of center of rd., 15 ft. SW. of 54 inch hollow cedar tree, on N. edge of rd. in granite boulder 6 ft. square projecting from ground 0.5 ft.; bronze tablet stamped "815 1933 3961 IT" (Not Found 1956)

SFNF86  
3961.347

Happy Isles Bridge, 5 mi. W. along rd. to old village, 100 ft. E. of N. point of granite boulder 20 ft. x 30 ft. x 30 ft., on S. side of rd., 15 ft. S. of center of rd., 4 ft. SW. of 36 inch oak tree, in 1 1/2 inch galvanized iron pipe set flush with ground; copper nail and washer

SFNF86  
3968.86

Happy Isles Bridge, 5.2 mi. W. along rd. to old Village to Phono Bridge, 150 ft. NE. of old river rd. crossing to El Captian (now abandoned), 50 ft. SE. of center of Marced River, 25 ft. NW. of center of rd. to old village, 10 ft. W. of 18 inch oak tree, top of 10 ft. boulder; bronze tablet stamped "3953 1919" (revised)

NEW DESK.  
3953.010

Happy Isles Bridge, about 5.3 mi. W. along rd. to old village, 90 ft. W. of telephone pole no. 171, 60 ft. SW. of center of NW. parapet of 2 ft. rubble box culvert, 30 ft. NW. of broken granite boulder 21 ft. NW. of center of rd., 2 ft. SE. of 36 inch pine tree, in 1 1/2 inch wrought iron pipe set flush with ground; iron bolt and washer

SFNF86  
3937.81

Happy Isles Bridge, 5.45 mi. W. along rd. to old village, 255 ft. SW. of NW. parapet of 18 inch galvanized iron pipe culvert, 114 ft. NE. of intersection of center of rd. to old village and center of Tangent of rd. bearing NW., 36 ft. NW. of intersection of centerline of old village rd. and center of rd. curving off in a SW. direction, 15 ft. E. of 20 ft. x 30 ft. x 20 ft. granite boulder, 11 ft. E. of 8 inch cedar tree, in 1 1/2 inch wrought iron pipe set flush with ground; iron bolt and washer

SFNF86  
3935.26

Concentration Plant, 0.3 mi. NE. of, 36 ft. NW. of center of rd. to Concentration Plant, 2 ft. SW. of 72 inch long Yellow pine tree with knob on W. side, in 1 1/2 inch galvanized iron pipe projecting 0.1 ft. above ground; iron bolt and washer

SFNF86  
3928.02

Yosemite (437)

California

G.M. Smith, 1933  
H.B. Leggett

Third Order

Adjusted Elevations Based  
on Sea Level Datum of 1929

Books: 5042-5044

- (3) Concentration Plant, at, 33 ft. SW. of rd., 13 ft. W. of concrete pedestal for pipe brace, 11 ft. N. of W. corner of concrete platform, in concrete monument set 0.3 ft. below surface of ground and protected by circle of round granite boulders; bronze tablet stamped "827 1933 3912 TT"

SFNF86  
3912.821

Happy Isles Bridge, 5.55 mi. W. along old Village Rd., 120 ft. SW. of center of S. parapet of 2 ft. galvanized iron pipe culvert, about 60 ft. S. of intersection of rd. to old Village and old dirt rd. bearing SE., 36 ft. SE. of center of rd. to old village, 1.5 ft. NW. of 20 inch pine tree, in 1 1/2 inch galvanized iron pipe set flush with ground; iron bolt and washer

SFNF86  
3929.57

Happy Isles Bridge, 5.85 mi. W. along rd. to old village, 205 ft. SW. of intersection of center of S. leg of Y to Marvona Tunnel and center of rd. to old village, 24 ft. E. of center of SE. parapet of 26 inch galvanized iron pipe culvert, 10 ft. S. of center of rd. to old village, 3 ft. W. of 48 inch cedar tree, in concrete monument set flush with ground; bronze tablet stamped "S16 1933 3914 TT" (Not Found 1956)

SFNF86  
3914.059

Happy Isles Bridge, 6.0 mi. W. along rd. to old village, 175 ft. W. of telephone pole No. 207, 21 ft. NW. of center of rd., 4.5 ft. E. of 14 inch pine tree, at two of scattered granite rocks on NW. edge of rd., in 1 1/2 inch galvanized iron pipe set flush with ground; copper nail with washer

SFNF86  
3924.62

Happy Isles Bridge, 6.10 mi. W. along rd. to old village, 450 ft. SW. of intersection of center of rd. to old village and center of old rd. bearing NW. 60 ft. SE. of Rose and Shurborn Monument stone, 25 ft. W. of center of rd. to old village, on 2 inch galvanized iron pipe projecting 0.5 ft. above ground; USBPR bench mark, a brass cap stamped "29 + 38.14 3906.64"

SFNF86  
3907.008

YOSEMITE (437)

California

G.M. Smith, 1933  
H.B. Leggett

Third Order

Adjusted Elevations Based  
on Sea Level Datum of 1929

Book: B5042

- (3) Happy Isles Bridge, 6.30 mi. W. along rd. to Old Village, 170 ft. SW. of center of SE. parapet of 36 inch galvanized iron pipe culvert, 48 ft. NE. of granite boulder 6 x 10 x 2 ft., 25 ft. SE. of center of rd., 3 ft. SE. of toe of slope of fill, on 2 inch galvanized iron pipe projecting 1 ft. above ground; USBPR bench mark, brass cap stamped "22 + 23.75 3908.51 + 1926"

SFNF 86  
3908.908

Happy Isles Bridge, 6.35 mi. W. along rd. to Old Village, 175 ft. NE. of center of NW. parapet of 18 inch galvanized iron pipe culvert, 135 ft. NE. of double leaning oak 84 inches at base, 65 ft. SW. of 36 inch oak tree with old blaze, 15 ft. NW. of center of rd. 2.5 ft. S. of 30 inch oak tree with old blaze, in 1 1/2 wrought iron pipe set flush with ground; iron bolt and washer

SFNF 86  
3915.18

Happy Isles Bridge, 6.50 mi. W. along rd. to Old Village, 105 ft. E. of Fern Spring, 65 ft. NW. of 10 x 40 x 14 ft. granite boulder, 18 ft. SW. of center of rd., 2.5 ft. SW. of 6 inch fir tree, in 1 1/2 inch threaded wrought iron pipe set flush with ground; iron bolt and washer

SFNF 86  
3894.12

Happy Isles Bridge, 6.65 mi. W. along rd. to Old Village, 24 ft. SW. of centerline of rd., 10 ft. SE. of SE. end of SW. parapet of Pohono Bridge, over Merced River, 5 ft. S. of 60 inch pine tree, in concrete monument set flush with ground; bronze tablet stamped "817 1933 3881 TT"

NEW DES  
3881.050