


MAINE
MOUNT DESERT QUADRANGLE
(Latitude 44°15'-44°30'; Longitude 68°15'-68°30')
HANCOCK COUNTY

Third-order leveling: ADJ. 1929 General

1 FROM ELLSWORTH QUADRANGLE ALONG HIGHWAY SOUTH TRENTON CONCRETE BRIDGE ACROSS MOUNT DESERT NARROWS, THENCE SOUTH ACROSS BRIDGE TO MOUNT DESERT ISLAND (By B. A. Kelley in 1934)



- Ellsworth, 4.7 mi. S. along concrete rd. to Mt. Desert Island, at concrete bridge over small brook, on SW. cor. of abutment; chiseled square "T.B.M. 59.1" on abutment 59.04
- Ellsworth, 5.6 mi. S. along concrete rd. to Mt. Desert Island, at summit of hill, on ledge outcrop 40 ft. E. of rd.; chiseled square "T.B.M. on telephone pole "92.5" on ledge 92.48
- Ellsworth, 6.3 mi. S., along concrete rd. to Mt. Desert Island, near culvert, 170 ft. S. of Green Moth filling Sta., S. bank of small brook in ledge 87 ft. E. of rd. and 18 ft. W. of 20-in. juniper tree; standard disk stamped "K 2 1934" "P.B.M. 56.4" on 20-in. juniper tree 18 ft. E. of B.M." 56.390
- R.M., in root of 14-in. juniper tree; 43 ft. E. of rd. and 30 ft. N. of brook; copper nail and washer, "R.M." painted on tree 57.62
- Ellsworth, 7.3 mi. S. along concrete rd. to Mt. Desert Island, on large rock, 70 ft. W. of rd. and 115 ft. S. of Trenton Baptist Church; chiseled square "T.B.M. 108.3" on telephone poles to N. and S. along rd. 108.21
- Trenton, 0.6 mi. N. of, 8.2 mi. S. of Ellsworth along concrete rd. to Mt. Desert Island, 185 ft. W. of junction of T-rd. W. to Oak Point, on top of large rock 30 ft. S. of rd.; chiseled square "T.B.M. 62.0" on telephone pole 61.94
- Trenton, 0.7 mi. S. of, at N. end of Mt. Desert Island, near fork in rd., at Parkadia filling sta., 700 ft. S. of fork, along rd., to SW. Harbor, in ledge, 42 ft. W. of rd., at top of rise; standard disk stamped "K-3-1934" "P.B.M. 37.0 painted on ledge, W. side of rd. and on ledge near B.M." *at island ell.* 36.929
- R.M., at Parkadia filling sta., 460 ft. S. of fork along Mt. Desert Rd. to SW. Harbor, on ledge 38 ft. E. of rd.; chiseled square "R.M." painted on ledge 32.61



11' W QUAD. MOUNT DESERT
ORDER THIRD

STATE MAINE BY B. A. Kelley, 1934
ADJ. 1929 General

ELEV. ABOVE
MEAN SEA LEVEL
(FEET)

Trenton, 2.5 mi. SE. along concrete rd., near T-rd. SW. to Indian Point, on large boulder 35 ft. SE. of T-rd. and 30 ft. NE. of main rd.; chiseled square "T.B.M. 154.7" on boulder and telephone pole 154.62

Trenton, 2.5 mi. SE. of, along concrete rd., thence 0.8 mi. SW. along rd. to Indian Point, near entrance to "Glen Eden", estate of J.B. Fenbo, 25 ft. SE. of rd., on ledge outcrop; chiseled square, "T.B.M. 152.6" on ledge and on telephone pole 152.56

Trenton, 2.5 mi. SE. along concrete rd., thence 1.5 mi. SW. along rd. to Indian Point, near fork in rd., in ledge 150 ft. W. of fork, 45 ft. N. of rd.; standard disk stamped "K-6-1934" "P.B.M. 117.2 on telephone pole at fork and on ledge 117.145

R.M., 1.5 mi. SW. along Mt. Desert Rd., near fork in rd., on ledge, 150 ft. W. of fork, 35 ft. N. of rd.; chiseled square "R.M." on tree 114.76

Somesville (Mt. Desert) High School Building, 1.9 mi. W. of, N. end of Long Pond (or Great Pond), thence 1.1 mi. N. on W. side of Oak Hill, on ledge 60 ft. SE. of intersection and 35 ft. SW. of main rd.; chiseled square "T.B.M. 82.8" on near by trees 82.71

Somesville (Mt. Desert) High School Building, 1.9 mi. W., near N. end of Long Pond (or Great Pond), on boulder just at water's edge, 40 ft. SW. of SW. cor. of filling sta., 80 ft. S. of main rd., 125 ft. W. of T-rd. N.; chiseled square "T.B.M. 63.2 on boulder 63.16

Somesville (Mt. Desert) High School Building, 0.8 mi. W. of, near T-rd. S., on ledge in SE. cor. at rd. intersection; chiseled square "T.B. N. 85.9" on ledge- 85.86

Somesville (Mt. Desert) High School Building, 0.8 mi. S. along rd. to SW. Harbor, near small brook, 550 ft. S. of T-rd. W. to Long Pond (or Great Pond), in ledge 145 ft. N. of brook and 100 ft. E. of rd.; standard disk stamped "K-7-1934" "P.B.M. 25.1" on telephone pole and on ledge 25.055

R.M., near small brook 700 ft. S. of T-rd. W. to Long Pond (or Great Pond), in center of concrete header of W. end of culvert; chiseled 24.10

- Somesville, (Mt. Desert) High School Building, 0.2 mi. N. toward West Eden, near rd. intersection, on ledge at top of bank, on SE. side of triangle formed by intersection; chiseled square, "T.B.M. 42.7" on ledge facing rd. 42.63
- Somesville (Mt. Desert) High School Building, 1.2 mi. NE., near garage at Bordeaux Corners, on ledge, NE. side of rd., at curve; chiseled square "T.B.M. 43.0" on ledge "T.B.M." on telephone pole 42.99
- Somesville (Mt. Desert) High School Building, 1.5 mi. N., near fork in rd., S. fork to NE. Harbor, and NE. fork to Bar Harbor, in ledge outcrop 65 ft. N. of rd. intersection; standard disk stamped "K-8-1934" "P.B.M. 61.5" on ledge and on telephone pole 61.439
- R.M., near fork on ledge outcrop, 65 ft. N. of rd. intersection; chiseled square "R.M." on ledge 59.28
- Somesville (Mt. Desert) High School Building, 2.7 mi. E. toward Eagle Lake, near top of hill, on ledge, N. side of rd., 500 ft. W. of top of hill; chiseled square "T.B.M. 157.0" on ledge and telephone pole 156.95
- Somesville (Mt. Desert) High School Building, 2.5 mi. E. toward Eagle Lake, near T-rd. NW. (Norway Drive), in ledge outcrop, 45 ft. N. of intersection and 10 ft. E. of T-rd.; chiseled square "T.B.M. 180.9" on ledge and telephone pole 180.84
- Somesville (Mt. Desert) High School Building, 4.5 mi. E. toward Bar Harbor, 400 ft. E. of T-rd. N. (Breakneck Rd.), in ledge 150 ft. N. of main rd.; standard disk stamped "K-9-1934" "P.B.M. 372.0" on ledge and telephone pole *see revised desc.* 371.982
- R.M., near T-rd. N. (Breakneck Rd.), on ledge 450 ft. E. of intersection, 75 ft. N. of main rd.; chiseled square "R.M." on ledge 375.32
- Hulls Cove Post Office, 1.6 mi. S. along "Breakneck Rd.", near point where trail to "Witch Hole" and "Fawn" Ponds cross rd., 55 ft. S. of intersection, 60 ft. W. of rd., on large boulder; chiseled triangle "T.B.M. 263.7" on tree and on boulder 263.63
- Hulls Cove Post Office, 0.5 mi. S. along "Breakneck Rd." in NE. root of 15-in. spruce tree, 20 ft. W. of rd.; copper nail and washer "T.B.M. 88.3" on tree 88.25
- Hulls Cove Post Office, 0.15 mi. N. toward, in ledge jutting out into cove, 75 ft. E. of rd.; standard disk stamped "K-10-1934" "P.B.M. 17.1" on ledge 17.035
- R.M., 25 ft. N. of tablet, on point of ledge jutting out into cove, 75 ft. E. of rd., 25 ft. W. of P.B.M.; chiseled square "R.M." on ledge 14.40

2. FROM TRENTON ALONG HIGHWAY WEST TO WEST TRENTON,
THENCE NORTHWEST AND NORTH INTO ELLSWORTH
QUADRANGLE (by B. A. Kelley in 1934)

Ellsworth, 8.2 mi. S. of, along concrete rd. thence
1 mi. W. along Oak Point Rd., on land owned by
A.P. McFarland, on large boulder, S. of Rd.
and S. across rd. from residence; chiseled square
"T.B.M." 17.7" on telephone pole and on boulder 17.60

Ellsworth, 6.9 mi. S. along Bayside rd., thence E.
1.2 miles along Goose Cove rd. and 2.1 mi. W. of
concrete rd. S. from Ellsworth, to 48-in. pine
tree 25 ft. NE. of rd., in SW. root of tree;
copper nail and washer "T.B.M. 140.9" on tree 140.82

R.M., 6.8 mi. S. along Bayside rd., 100 ft. S. of
rd. to Goose Cove, 50 ft. W. of rd., on large
boulder; chiseled square "R.M." painted on
boulder 72.97

Ellsworth, 6.8 mi. S. along Bayside rd., 100 ft.
S. of Goose Cove rd., 30 ft. E. of rd., in small
stand of spruce and cedar, in large boulder;
standard disk stamped "K-4-1934" "P.B.M. 74.7"
painted on boulder and on spruce tree just N.
of boulder *see revised disc:* 74.605

Ellsworth, 5.9 mi. S. along Bayside rd., 45 ft. SE. of corner of
schoolhouse, on granite boulder; chiseled square
"T.B.M. 61.5" on boulder *see revised disc:* 61.40

Ellsworth, 4.9 mi. S. along Bayside rd., near
brook running through grove of white birch, on
boulder, N. bank of brook, 30 ft. E. of rd.;
chiseled square "T.B.M. 32.4" on boulder "T.B.M."
on tree *see revised disc:* 32.34

Ellsworth, 3.8 mi. S. along Bayside rd., near small
brook, on large boulder 100 ft. E. of rd., and
on E. side of large heap of boulders; standard
disk stamped "K-5-1934" "P.B.M. 44.8" on boulder 44.719

R.M., near small brook, on boulder 70 ft. E. of rd.
and S. of large heap of boulders; chiseled
square "R.M." on boulder and on boulder near by 36.98

3. FROM NORTH END MOUNT DESERT ISLAND ALONG HIGHWAY,
SOUTH TO NORTH END OF GREAT POND, THENCE EAST AND
NORTHEAST TO POINT 4.5 MILES EAST OF SOMERSVILLE,
MT. DESERT, THENCE NORTH AND WEST BY WAY OF HULL
COVE TO POINT OF BEGINNING (by B.A. Kelley in 1934)

Trenton, 1.9 mi. SE. along concrete rd., 270 ft.
NW. of T-rd. NE. to Bar Harbor, and 30 ft. SW. of
main rd., on outcrop of ledge; chiseled square
"T.B.M. 370" on telephone pole near by "T.B.M."
on telephone pole at "T-rd." 36.93

QUAD.	MOUNT DESERT	STATE MAINE BY B. A. Kelley, 1934	ELEV. ABOVE	QUAD.
ORDER	THIRD	ADJ. 1929 General	MEAN SEA LEVEL	ORDER
			(FEET)	

Hulls Cove Post Office, 1.1 miles N. of, at culvert near low spot in small valley, in center of concrete header at E. end of culvert; chiseled square "T.B.M. 100.5" on header and telephone pole 100.42

Hulls Cove Post Office, 2.1 mi. N. of, 0.75 mi. S. of Salisbury Cove, opposite T-rd. E. to Sand Point, on large boulder 110 ft. W. of intersection; chiseled square "T.B.M. 166.3" on trees and telephone pole 166.30

Salisbury Cove Post Office, 300 ft. W. of, in ledge outcrop, 50 ft. N. of rd. and 20 ft. E. of parsonage driveway; standard disk stamped "K-11-1934" "P.B.M. 43.7" on telephone poles 43.666

see revised disc.
R.M., 300 ft. W. of, on ledge outcrop, 75 ft. N. of rd. and 20 ft. E. of parsonage driveway; chiseled square "R.M." on ledge 40.45

Salisbury Cove Post Office, 1 mi. W. of, along rd. to Trenton, near T-rd. W. to shore, on concrete base of iron fence post, in NW. cor. of intersection; chiseled square "T.B.M. 50.3" on ledge and telephone poles 50.31

Salisbury Cove Post Office, 2.2 mi. W. of, near large granite ledge formation on S. side of rd., on ledge, W. end of cut, 20 ft. S. of rd.; chiseled square "T.B.M. 95.3" on ledge and telephone poles *see revised disc.* 95.29

Salisbury Cove Post Office, 3.2 mi. W. of, 1.9 mi. SE. of Trenton, on ledge outcrop 35 ft. N. of rd.; chiseled square "T.B.M. 54.5" on ledge and telephone pole *see revised disc.* 54.47

4. FROM NEAR SOMESVILLE ALONG HIGHWAY, SOUTH TO SOUTHWEST HARBOR, THENCE SOUTHWEST TO TREMONT (SWAN ISLAND QUADRANGLE) THENCE NORTHWEST AND NORTH VIA PRETTY MARSH TO NORTH END OF GREAT POND

Southwest Harbor Post Office, 4.3 mi. N. of, near N. end of Echo Lake at branch rd. S. and E. to Hulls quarry, on high ledge 40 ft. E. of intersection; chiseled square "T.B.M. 128.3" on ledge 128.22

Southwest Harbor Post Office, 3.3 mi. N. of, near "Echo Lake Lunch" on large boulder 100 ft. N. of T-rd. W. to swimming pool, 20 ft. E. of main rd.; chiseled square "T.B.M. 112.1" on boulder 112.02

Southwest Harbor Post Office, 2.4 mi. N. of, near T-rd. NW. to "Appalachian Mt. Club", 200 ft. S. of SW. Harbor-Mt. Desert town line, 100 ft. E. of rd., at ft. of small dead pine in ledge outcrop; standard disk stamped "K-12-1934" "P.B.M. 194.0" on ledge-tree and light pole 194.009

R.M., 200 ft. S. of SW. Harbor-Mt. Desert town line, 30 ft. E. of rd., on boulder; chiseled square "R.M." on boulder 182.08

ABOVE QUAD. MOUNT DESERT STATE MAINE BY B. A. Kelley, 1934 ELEV. ABOVE
 LEVEL ORDER THIRD ADJ. 1929 General MEAN SEA LEVEL
 (FEET) 2.

Bass Harbor, Village of Bernard, town of Tremont,
 approximately 80 ft. from shore line and about
 350 ft. SW. of shore side of Rices Wharf, in
 range with center of smoke stack and NE. side
 of water tank of Underwoods Factory in McKinley;
 lead plug in 3/4" drill hole in ledge of rock
 surrounded by trees "U.S.C. & G.S. Bench No.5
 (1911) 32.057

Bass Harbor, Village of Bernard, Town of Tremont,
 center of cross cut in top of large rock ledge
 1.3 ft. from large ring bolt, 48 ft. from N. inner
 end of small ruined wharf, and 90 ft. from small
 wharf, S. inner end, formerly owned by Sawyer &
 Billings; granite boulder mentioned in previous
 description missing "U.S.C. & G.S. Bench No.4
 (1911) 5.979

Bernard Post Office, 1.1 mi. NW. of, at T-rd. SW.,
 on ledge, 40 ft. SW. of main rd., 100 ft. NW. of
 T-rd.; chiseled square, "T.B.M. 66.1" on ledge
 and telephone pole 66.08

Bernard Post Office, 2.3 mi. NW. of, at top of
 hill near schoolhouse, top of eye bolt set in
 ledge in school yard, 17 ft. SW. of center-line
 of rd. and 45 ft. from SE. cor. of schoolhouse,
 "T.B.M. 113.7" on ledge 113.76

Bernard Post Office, 3.0 mi. NW. of, 0.75 mi. N.
 along back rd. from West Tremont Schoolhouse
 through settlement known as "Kelly Town", near
 deserted house, in ledge, 70 ft. E. of rd., 97
 ft. S. of SE. cor. of house; standard disk stamped
 "K-15-1934" "P.B.M. 136.2" on old house and
 boulder 136.191

R.M., 58 ft. N. of tablet, near deserted house, on
 ledge 70 ft. E. of rd., 39 ft. S. of SE. cor.
 of house; chiseled circle "R.M." on ledge 135.46

Seal Cove Post Office, 1.5 mi. S. of, 4.0 mi. NW.
 of Bernard Post Office, at T-rd. SE., which is
 N. end of back rd. through settlement known as
 "Kelly Town", in ledge 85 ft. SE. of main rd., 25
 ft. NE. of crossroad; chiseled square, "T.B.M.
 54.1" on ledge and telephone pole 54.09

Seal Cove Post Office (at Harpers Store), 0.2 mi.
 S. of, near church on E. side of rd., on large
 rock 100 ft. E. of rd., 30 ft. SE. of SE. cor. of
 church; chiseled square "T.B.M. 68.4" on rock
 and rock near rd. 68.42

- Southwest Harbor Post Office, 1.4 mi. N. of, at top of Lurreys Hill, near cemetery, at crossroads in S. root of 28-in. spruce, 50 ft. W. of main rd., 15 ft. S. of crossroad; copper nail and washer "T.B.M. 186.5" on tree 186.44
- Southwest Harbor Post Office, 0.35 mi. N. of, on large boulder 25 ft. N. of Soly Caruso's driveway, 100 ft. W. of rd.; chiseled square "T.B.M. 40.3" on telephone pole 40.30
- Southwest Harbor, in flat top surface of ledge of rock about 50 ft. E. from shore end of Eastern Steamship Co. Wharf, 85 ft. from SW. cor. of building, formerly "Clark's Store, 90 ft. from SE. cor. of old foundation, formerly part of Clark's store; lead plug USC 465 L₂ No 2 (1879) 12.440
- Southwest Harbor, cross cut in flat top surface of rock about 24 ft. E. of shore end of Eastern Steamship Co. wharf, 70 ft. from SW. cor. of building formerly Clark's store, 110 ft. from SE. cor. of old foundation, formerly part of Clark's store "U.S.C. & G.S. B.M. No.4 (1905)" 11.839
- Southwest Harbor, 3/4-in. drill hole in center of 5-in. triangle with horizontal index line, in vertical face of large grey ledge, 142 ft. E. of shore end of Eastern Steamship Co. Wharf, 57 ft. from SE. cor. of old foundation, formerly part of Clark's store; (U.S.C. & G.S. B.M. No.5 (1911) 8.644
- Southwest Harbor Post Office, in foundation on N. side of building, 12 ft. from NE. cor. of building, set vertically about 1 ft. above ground; standard disk stamped "K-13-1934" 45.76
- R.M., on NE. cor. of lower step to Post Office that forms part of sidewalk; chiseled square, "R.M." on step 45.44
- Southwest Harbor Post Office, 0.7 mi. S. toward Manset, near fork in rd., on large rock on E. side of main rd., 15 ft. S. of culvert; chiseled square "T.B.M. 38.4" on rock 38.36
- Southwest Harbor Post Office, 2.1 mi. W. of, along rd. to Bass Harbor, at concrete bridge over stream that forms town line between Southwest Harbor and Tremont, on SE. cor. of bridge abutment; chiseled square "T.B.M. 11.1" on S. rail of bridge 11.08
- Tremont, in village of, 3.0 mi. SW. of SW. Harbor, 400 ft. W. of church, 65 ft. N. of rd., in private yard; standard disk stamped "K-14-1934" "P.B.M. 43.9" on ledge and telephone pole 43.930
- R.M., 385 ft. W. of church, 60 ft. N. of rd., on ledge in private yard; chiseled square 25 ft. SE. of B.M. "R.M." on ledge 43.05

Seal Cove Post Office, 0.8 mi. N. of, near T-rd. W., 575 ft. S. of T-rd., 80 ft. E. of main rd., 70 ft. NE. of NE. cor. of shed, in N. end of ledge; standard disk stamped "K-16-1934" "P.B.M. 76.5" on ledge and telephone pole 76.559

R.M., 50 ft. SW. of tablet, 0.8 mi. N. of, near T-rd. W., 600 ft. S. of T-rd., 55 ft. E. of main rd., on W. point of ledge, 20 ft. NE. of NE. cor. of shed; chiseled square, "R.M." on ledge 71.74

Seal Cove Post Office, 1.8 mi. N. of, 200 ft. S. of Mt. Desert-Tremont town line, on ledge 10 ft. W. of center-line of rd.; chiseled square "T.B.M. 78.9" on ledge 78.94

Pretty Marsh, 0.3 mi. SE. of, 2.6 mi. N. of Seal Cove Post Office, near T-rd. W. to Pretty Marsh, in ledge outcrop, 35 ft. E. of intersection; chiseled square "T.B.M. 113.7" on ledge, telephone pole and sign post 113.79

Pretty Marsh, 0.3 mi. SE., thence 0.9 mi. NE. of, 1.0 mi. SW. of landing at N. end of Long Pond, at top of hill, in ledge outcrop, 50 ft. S. of center line of rd.; standard disk stamped "K-17-1934" "P.B.M. 167.2" on ledge near rd. 167.221

R.M., 0.9 mi. NE. of fork, 1.0 mi. W. of landing at N. end of Long Pond, at top of hill, on ledge 30 ft. S. of center line of rd.; chiseled square, "R.M." on ledge 157.64

FROM POINT 1.6 MILES EAST OF SOMESVILLE ALONG HIGHWAYS SOUTHEAST AND EAST TO NEAR SEAL HARBOR INTO BAR HARBOR QUADRANGLE

Asticon, 3.2 mi. N. of, near T-rd. SW. (Sargents Drive), on large rock 300 ft. N. of T-rd., 15 ft. E. of main rd.; chiseled square "T.B.M. 64.3" on rock and on telephone pole at T-rd. 64.19

Asticon, 2.2 mi. N. of, near bridge at ft. of steep grade, in ledge outcrop 450 ft. N. of bridge, 20 ft. E. of rd.; chiseled square, "T.B.M. 209.5" on ledge, tree and telephone pole 209.54

Asticon, 1 mi. N. of, 150 ft. N. of bridge over outlet to upper Haddock Pond, in ledge 50 ft. W. of center line of rd.; standard disk stamped, "K-18-1934" "P.B.M. 231.2" on ledge, telephone pole and concrete weir 231.102

R.M., on E. end of E. abutment of bridge over outlet to upper Haddock Pond; chiseled square "R.M." on bridge and weir 229.85

QUAD. MOUNT DESERT STATE MAINE BY S. A. Kelley, 1934 ELEV. ABOVE
 ORDER THIRD ADJ. 1929 General MEAN SEA LEVEL
 (FEET)

Recopy
 5-13-35
 END
 Sk.B5711 & B5712

Asticon, near fork in rd., N. fork to Somesville,
 W. fork to NE. Harbor, 175 ft. W. of fork, 20 ft.
 W. of rd., on ledge; chiseled square "T.B.M.
 95.1" on ledge and telephone pole 94.96

Asticon, 1.1 mi. SE. of, 2.0 mi. W. of Seal Harbor
 Post Office, at bend in rd., near T-rd. N.
 (entrance to "Cairn-Wood"), on ledge, in ledge cut,
 80 ft. W. of T-rd., 20 ft. N. of main rd.;
 chiseled square "T.B.M. 78.2" on face of ledge
 and telephone poles 78.05

Seal Harbor Post Office, 1.2 mi. W. of, at top of
 hill just W. of Bracys Cove, near private rd.
 N., in ledge, 100 ft. N. of main rd., 95 ft. W.
 of private rd.; standard disk stamped "K-19-1934"
 "P.B.M. 90.8" on ledge and telephone poles 90.700

R.M., near private rd. W., on ledge, 125 ft. N. of
 main rd., 80 ft. W. of private rd.; chiseled
 square "R.M." on ledge 93.79

6 NEAR EAST BORDER, A JOG FROM BAR HARBOR QUADRANGLE,
 ON LINE SOUTH ALONG MOUNTAIN ROAD

Seal Harbor Post Office, 2.8 mi. N. of, along
 Mountain Rd., on ledge, E. side of rd., at top
 of rise, E. side of middle of Jordan Pond, 10 ft.
 E. of center line of rd.; chiseled square, "T.B.
 M. 427.0" on rd. 426.53

R.M., Seal Harbor Post Office, 1.8 mi. N. of,
 along Mountain Rd., near Jordan Pond House,
 210 ft. W. of rd., 80 ft. S. of SW. cor. of W.
 porch of hotel, on large granite rock; chiseled
 square 305.30

Seal Harbor Post Office, 1.8 mi. N. of, along
 Mountain Rd., near Jordan Pond House, 300 ft. W.
 of rd., 85 ft. W. of SW. cor. of W. porch of
 hotel, 130 ft. NW. of reference mark, in large
 boulder; standard disk stamped "K-26-1934" 297.326

36.

MCUNT DESERT QUADRANGLE (Supplement)

MAINE

Third-order Leveling

Book B 8720

By E. C. Wood, 1940

Edition of 10/5/65 kas

S.L.P. 1929

LINE 7.

FROM SURRY ALONG ROADS SOUTHWEST INTO BLUE HILL QUADRANGLE

Surry, 0.4 mi E. of post office, along State Highway 172; 110 ft W. of centerline of driveway; 60 ft N. of, and level with centerline of hwy.; 24 ft SE. of power and cable pole No. 197; directly in front of small frame house; near S. end of, and in top of rock ledge projecting out of old roadbed; standard tablet stamped "89 BANGOR 1901 RESET 1958" (Tied by USC&GS, 1962)

87.077

LINE 8.

JOG FROM BLUE HILL QUADRANGLE

Surry, 1.5 mi S. of; 5.0 mi NE. of East Bluehill, along Surry-East Bluehill rd.; 800 ft SE. of white house; 38 ft E. of centerline of rd.; in top of rock outcrop; standard tablet stamped "WO 1 1940 264", painted "USPBM 264.0"

264.097

Reference mark; 50 ft NW. of tablet; on top of boulder; square cut

266.18

U.E., Surry, 2.8 mi SE. of; 3.6 mi NE. of East Bluehill; 250 ft SW. of centerline of rd. at junction of Y-rd.; in root on W. side of 30-in. white oak tree; copper nail and washer, painted "US 128.0 BM"

128.12

Surry, 3.4 mi SE. of; 3.0 mi NE. of East Bluehill; 50 ft W. of centerline of rd.; 45 ft S. of, and in front of yard of abandoned dwelling; in top of granite outcrop; standard tablet stamped "WO 2 1940 111", painted "USPBM 111.3"

111.430

Reference mark; 60 ft NE. of tablet; on top of boulder; chiseled square

109.96

U.E., East Bluehill, 2.0 mi NE. of; 4.4 mi SE. of Surry; 65 ft E. of centerline of exit rd. from residence of Frederick Camp; 12 ft N. of centerline of main rd.; on shoulder of granite outcrop; chiseled square, painted "USBM 153.9"

154.04

S.L.D. 1929

LINE 9.

FROM ELLSWORTH QUADRANGLE ALONG ROADS SOUTHEAST INTO BAR HARBOR QUADRANGLE

U.E., South Hancock; 250 ft S. of Hillside Church; 15 ft W. of centerline of rd.; at crest of ridge; on top of rock outcrop; chiseled square, painted "USBM 92.4" 92.42

LINE 10.

FROM POINT 4.7 MILES SOUTHEAST OF ELLSWORTH ALONG ROADS NORTHEAST INTO ELLSWORTH QUADRANGLE

U.E., Ellsworth, 4.7 mi S. of, along concrete rd. to Mt. Desert Island; at concrete bridge over small brook; on SW. corner of abutment; chiseled square, painted "TBM 59.1" 59.04

U.E., Ellsworth, 4.5 mi SE. of, thence 0.7 mi E. and N., along State Highway 204; 1.4 mi (airline) NW. of Lamoine; 9 ft W. of centerline of rd.; 60 ft S. of centerline of woods rd. W.; opposite old covered well in open field; on top of small ledge; chiseled square, painted "USBM 42.2" 42.19

LINE 11.

FROM ELLSWORTH QUADRANGLE ALONG ROADS SOUTHEAST SOUTHWEST AND NORTH INTO ELLSWORTH QUADRANGLE

U.E., North Lamoine, 0.6 mi SE. of, along State Highway 184, thence 0.6 mi E. along State Highway 204; 3.3 mi NW. of Marlboro; at concrete culvert; on W. end of N. headwall; chiseled square, painted "USBM 11.3" 11.37

Marlboro, 2.0 mi NW. of; 2.2 mi (airline) NE. of Lamoine; 45 ft W. of centerline of State Highway 204; 17.5 ft N. of centerline of private drive; 61.5 ft NW. of centerline of State Highway 204 and drive W.; set in top of a low rock ledge in yard; standard tablet stamped "WO 46 1940 60" 60.078

Reference mark; 145 ft N. of tablet; 60 ft W. of centerline of rd.; on top of conical boulder; chiseled square 56.03

U.E., Marlboro, 0.5 mi NW. of; 2.6 mi (airline) E. of Lamoine; 20 ft N. of centerline of State Highway 204; in root on N. side of 26-in. pine tree; copper nail and washer, painted "USBM 67.1" 67.15

S.L.D. 1929

LINE 11 (Cont'd.)

- Marlboro, 0.5 mi SW. of; 1.6 mi NE. of East Lamoine; 56 ft W. and 82 ft N. of centerline of rd. at drain crossing; 65.4 ft N. of power pole # 12; set in top of and near the NE. corner of a large ledge outcrop; standard tablet stamped "WO 47 1940 28", painted "USPBM 28.2" 28.212
- Reference mark; 45 ft SW. of tablet; 37 ft N. of centerline of rd.; on northerly end of small section of rock outcrop; chiseled square 27.45
- U.E., East Lamoine, 0.3 mi N. of; 1.8 mi SW. of Marlboro; 11 ft NW. of centerline of rd.; on top of embedded boulder; chiseled square, painted "USPBM 144.6" 144.64
- U.E., East Lamoine; in NE. angle at junction of T-rd.; on top of boulder; chiseled square, painted "USPBM 71.0" 71.02
- U.E., East Lamoine, 0.4 mi SE. of; 1.0 mi NW. of Lamoine Beach Naval Coaling Station (abandoned); 9 ft NE. of centerline of State Highway 184; 800 ft NW. of white schoolhouse; on top of shale ledge; chiseled square, painted "USPBM 89.1" 89.11
- Bench Mark 5 (1911) is a brass plate set in the E. wall of coalshed, near SE. corner and about 2 ft above ground; in October 1933 it was reported that bench mark had moved due to settlement of wall; Elevation 17.60 ft above mean low water; 12.35 ft above half tide level; 7.10 ft above mean high water (USGS elev. - use with caution) (NGS disk) (Reported destroyed, 1977) 12.35
- East Lamoine, 0.5 mi NW. of; at Lamoine Baptist Church; 98.2 ft SE. of SE. corner of church; 26.9 ft E. of power pole # 230; 20.2 ft S. of centerline of rd.; set in top of a moss covered ledge flush with ground; standard tablet stamped "130 WO 48 1940", painted "ISPBM 130.2" 130.284
- Reference mark; 90 ft N. of tablet; 47 ft NE. of centerline of State Highway 184; 30 ft SW. or S. corner of white church; on top of embedded boulder; chiseled square 131.24
- U.E., Lamoine, 1.9 mi SE. of; 1.9 mi W. of East Lamoine; S. of centerline of paved rd. (unnumbered); 22 ft NE. of NW. corner of shingled barn; on top of embedded boulder; chiseled square, painted "USPBM 130.1" 130.24
- Lamoine, 0.7 mi S. of; 1.9 mi (airline) W. of East Lamoine; 27 ft E. of centerline of paved rd.; 53 ft SW. of SW. corner of house on property of Gorham Stratton; in top of large embedded boulder; standard tablet stamped "89 WO 49 1940", painted "USPBM 89.3" 89.472
- Reference mark; 60 ft SE. of tablet; 55 ft E. of centerline of rd.; on top of most southeasterly point of large boulder; chiseled square 92.52