

THIRD-ORDER LEVELING  
SEA LEVEL DATUM OF 1929

DAMASCUS QUADRANGLE  
188 PA.-38 N.Y.  
N4130-W7500/15  
DIAGRAM HK 18-11  
NEWARK

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Pike and Wayne Counties


Only the permanent marks  
are listed for lines  
run more than 25 years  
before edition date

Final adjustment of 1971

Edition of 9/12/72

PR: GWK/jyk

LONG EDDY  
(211 PA.-46 N.Y.)



NGS (USC&GS) VERTICAL CONTROL DATA

A. Quadrangle ~~409752~~ 1  
41075 2

## INDEX OF PERMANENT MARKS

<u>MARK (USGS)</u>	<u>PAGE NO.</u>	<u>MARK (USGS)</u>	<u>PAGE NO.</u>
<b>RESET 1941</b>	<b>3</b>		
666	3	196 LRP 1965 1313	7
1028 PA	3	197 LRP 1965 1379	7
1328 PA	6,7	198 LRP 1965 1457	7
1216 PA	3	199 LRP 1965 1394	8
1609 PA	3	200 LRP 1965 1320	8
746 ALBANY 1900	3	201 LRP 1965 1136	8
718 PTS NO 20 1919 ALBANY 1900	3	202 LRP 1965 1145	8
PTS NO 23 PA 956	3	205 LRP 1965 1261	10
PTS NO 24 1919 PA 1231	8	206 LRP 1965 1373	10
1099 NY 1920	3	207 LRP 1965 1168	10
956 PA 1921 MCM	3	208 LRP 1965 1281	10
PTS NO 26 PA 1209	11	209 LRP 1965 1309	9,10
27 M 1942	3,8	210 LRP 1965 816	6
ET 2 JRH 1965 1236	4	211 LRP 1965 902	6
<b>215 LRP 1965 1094</b>	<b>5</b>	213 LRP 1965 995	5
212 LRP 1965 932	5	214 LRP 1965 1059	5
165 LRP 1965 993	5	216 LRP 1965 1181	5,6
166 LRP 1965 777	5,5	217 LRP 1965 1340	6
167 LRP 1965 868	5	218 LRP 1965 1302	6
172 LRP 1965 1005	4	219 LRP 1965 1292	6
173 LRP 1965 1189	4	220 LRP 1965 936	6
174 LRP 1965 926	4	221 LRP 1965 1250	6
176 LRP 1965 1278	4	222 LRP 1965 1209	6
177 LRP 1965 1314	4	223 LRP 1965 1244	6
178 LRP 1965 1022	4	224 LRP 1965 1300	7
179 LRP 1965 942	9	225 LRP 1965 1303	7
180 LRP 1965 1212	9	226 LRP 1965 1171	7
181 LRP 1965 1200	9	227 LRP 1965 1113	7,9
182 LRP 1965 1267	9	228 LRP 1965 1133	9
183 LRP 1965 1343	9,10	229 LRP 1965 1535	10
184 LRP 1965 1297	8	230 LRP 1965 1396	11
185 LRP 1965 1581	8		
186 LRP 1965 1631	8		
187 LRP 1965 1591	8		
188 LRP 1965 854	10		
189 LRP 1965 944	10		
190 LRP 1965 1166	10		
191 LRP 1965 1167	9		
192 LRP 1965 1247	9		
193 LRP 1965 1110	7,10		
194 LRP 1965 1112	7		
195 LRP 1965 1099	7		
		<u>NGS</u>	
		Y 50 1934	6
		Q 149 1941	5
		R 149 1941	6
		S 142 1941	4,9
		X 142 1941	5,10

Books 7999, B 620, B 696 and B 1170

	<u>Feet</u>
ISOLATED BENCH MARKS (By C. H. Semper, 1900; Book 7999, R. G. Clinite, 1920; Book B 620, A. J. Kavanagh, 1920-21; Book B 696, F. C. McNaugh, 1921; Book B 696, C. E. Reick, 1921, Book B 1170)	
Cochecton; 100 ft N. of station; in top of E. side of N. abutment of RR. bridge over hwy.; standard tablet stamped "746 ALBANY 1900"	746.777
Narrowsburg, 2.9 mi SE. of; 50 ft SW. of centerline of rd. at junction of Seven Mile Pond; 20 ft S. of mailbox; at NW. end of long rock ledge; standard tablet stamped "1099 NY 1920"	1099.147
Narrowsburg; 0.15 mi W. of Erie Railroad station; 100 ft W. of E. end of N. side of rock cut; 10 ft N. of centerline of track; 3.0 ft higher than ground; standard tablet stamped "718 PRIM TRAV STA NO 20 1919 ALBANY 1900"	718.676
Westcolang; 100 ft E. of station; in top on S. side of W. abutment of Erie RR. bridge; standard tablet stamped "666" (Reset, 1950)	666.674
Girdland; 0.3 mi N. of church; 100 ft NE. of centerline of rd. at junction of rd. to Rileyville; inside fence; in boulder; standard tablet stamped "1609 PA"	1610.076
Atco; 0.5 mi W. of Grange Hall; at junction; in front of yellow house; in large boulder behind mailboxes; standard tablet stamped "1028 PA" (Reported not found, 1966)	1027.539
Laurelle School; 450 ft E. of centerline of crossroad; in NE. corner of concrete bridge; standard tablet stamped "1216 PA"	1215.459
Berlin Center, 3.7 mi S. of; 3.1 mi SE. of Honesdale, along state rd. to White Mills; 0.3 mi SE. of Halfway House; in boulder in yard of L. W. Rickert; standard tablet stamped "956 PA 1921 MCM"	955.144
White Mills; at rd. corner; in store retaining wall of glass factory of C. Doeflingers and Sons; standard tablet stamped "PRIM TRAV STA NO 23 PA 956"	955.166
Westcolang Pond, on NW. side of; 1.6 mi NE. of intersection of traffic route 590 and Township Road 439; 155 ft SW. of culvert; 85 ft NE. of centerline of rd.; in boulder; standard tablet stamped "RESET 1941" (Replaces tablet stamped "1192" which was destroyed)	1201.440

LINE 1.

M. A. Roudabush, 1930; Book B 3903

There are no permanent marks on this line in this quadrangle.

LINE 2.

A. L. Moore, 1942; Book B 9748

Rileyville, 1.6 mi SW. of, along State Highway 90; about 0.1 mi NE. of flat-roofed house; 165 ft SW. of cemetery; 35 ft W. of centerline of rd.; 15 ft W. of wire fence; in ledge; standard tablet stamped "27 M 1942"	1995.058
--	----------

1963

LINE 3.

Feet

D. S. Wright, 1963; Book AV 1302

There are no permanent marks on this line in this quadrangle.

LINE 4.

L. R. Pipher, 1965; Book AV 1428

4	24	1.94	Fosterdale, 2.0 mi W. of; 37 ft S. and 120 ft E. of, and 0.6 ft higher than centerline of rd. at junction of I-rd. N.; 6 ft W. of telephone pole; in concrete post; standard tablet stamped "176 LRP 1965 1273"	1277.609
4	26	3.03	Fosterdale, 3.0 mi W. of; 2.5 mi E. of Cochection; 29 ft N. and 59 ft E. of, and 9.7 ft higher than centerline of rd. at junction of walk S. to house; in top of large boulder; standard tablet stamped "177 LRP 1965 1314"	1314.142
4	29	3.95	Cochection, 1.5 mi E. of; 70 ft S. and 100 ft E. of, and 13.0 ft higher than centerline of rd. at junction of drive S. to trailer; in top of E. abutment of dam at pond outlet; standard tablet stamped "178 LRP 1965 1022"	1022.331
4	31	4.82	U.E., 16 ft N. and 110 ft E. of, and 4.5 ft lower than centerline of rd. at junction of T-rd. E. (State Highway 97); on top of W. end of N. abutment of concrete box culvert; chiseled cross (NOTE: Probably state highway department mark)	834.62
4	33	5.47	"S 142 1941" (NGS)	751.695

LINE 5.

L. R. Pipher, 1965; Book AV 1428

1	43	1.95	Tylertown, 3.0 mi W. of; 1.0 mi E. of Lava; 43 ft NE. and 24 ft NW. of, and 3.5 ft lower than centerline of rd. at junction of Y-rd. SW.; in top of headwall of concrete box culvert; standard tablet stamped "172 LRP 1965 1005"	1005.319
1	45	3.12	Lava; 36 ft N. and 4 ft W. of, and 0.8 ft higher than centerline of rd. opposite house N. (Lava Fire Department); in top of W. end of top concrete step; standard tablet stamped "ET 2 JRH 1965 1236"	1236.268
1	46	4.02	Lava, 1.0 mi W. of; 83 ft N. and 12 ft W. of, and 1.6 ft lower than centerline of rd. at junction of I-rd. W.; in top of well casing; standard tablet stamped "173 LRP 1965 1189"	1189.407
1	49	5.39	Lava, 2.0 mi W. of; 3.0 mi N. of Harrowsburg; 23 ft S. and 27 ft E. of, and 1.4 ft lower than centerline of crossroad; in top of E. end of S. concrete headwall of culvert; standard tablet stamped "174 LRP 1965 926"	926.314

1965

LINE 5 (Cont'd.)Feet

1	50	5.81	"X 142 1941" (NGS)	746.813
---	----	------	--------------------	---------

LINE 6.

L. R. Pipher, 1965; Book AV 1428

1	8	3.41	Heweiden, 1.0 mi SW. of; 15 ft N. and 82 ft W. of, and 5.0 ft higher than centerline of rd. at junction of drive to Boy Scout Primitive Camping Area; in top of large boulder; standard tablet stamped "167 LRP 1965 868"	867.848
---	---	------	---	---------

1	11	4.82	Tusten; 28 ft S. and 17 ft W. of, and 0.7 ft lower than centerline of crossroad; in top of headwall of concrete culvert; standard tablet stamped "166 LRP 1965 777"	776.954
---	----	------	---	---------

1	79	5.67	"Q 149 1941" (NGS)	681.810
---	----	------	--------------------	---------

LINE 7.

L. R. Pipher, 1965; Book AV 1428

1	24	4.40	Tusten, 1.0 mi E. of; 11 ft S. and 15 ft W. of, and 4.0 ft higher than centerline of rd. at drain crossing; in top of large boulder; standard tablet stamped "165 LRP 1965 993"	993.302
---	----	------	---	---------

1	26	4.89	"166 LRP 1965 777" (Described in line 6)	776.954
---	----	------	--	---------

LINE 8.

L. R. Pipher, 1965; Book AV 1428

4	2	0.00	Open Woods Pond, 1.0 mi S. of; 10 ft N. and 47 ft W. of, and 0.1 ft higher than centerline of rd. at junction of T-rd. W.; in top of N. end of abutment of culvert; standard tablet stamped "216 LRP 1965 1181"	1181.452
---	---	------	---	----------

4	3	1.09	Mast Hope, 6.0 mi W. of; at W. end of swamp; 15 ft N. of, and 1.6 ft higher than centerline of trail opposite large boulder; standard tablet stamped "215 LRP 1965 1094"	1094.718
---	---	------	--	----------

4	5	2.54	Mast Hope, 5.0 mi W. of; 26 ft N. of, and 3.0 ft higher than centerline of rd. opposite large boulder; 15 ft E. of drain crossing (washed out); in top of boulder; standard tablet stamped "214 LRP 1965 1059"	1059.560
---	---	------	--	----------

4	7	4.00	Mast Hope, 4.0 mi W. of; 200 ft N. of centerline of rd. at intersection of woods rd. and paved rd. and junction of T-rd. E.; 20 ft S. and 14 ft E. of, and 0.7 ft lower than center of bridge over stream; on top of E. end of S. abutment of bridge; standard tablet stamped "213 LRP 1965 995"	994.901
---	---	------	--	---------

4	9	5.18	Mast Hope, 3.0 mi W. of; 300 ft N. of centerline of rd. at junction of drive N. to house of Mr. Badenhause; 20 ft N. and 16 ft W. of, and 1.3 ft lower than center of bridge at stream crossing; in top of large boulder; standard tablet stamped "212 LRP 1965 952"	952.243
---	---	------	--	---------

1965

LINE 8 (Cont'd.)Feet

4	11	6.74	Mast Hope, 2.0 mi W. of; 18 ft S. of, and 1.0 ft lower than centerline of rd. at drain crossing; in center of top of S. headwall of concrete box culvert; standard tablet stamped "211 LRP 1965 902"	902.116
4	13	7.67	Mast Hope, 1.0 mi W. of; 25 ft S. of, and 0.6 ft lower than centerline of rd. at drain crossing; in top of S. wall of concrete box culvert; standard tablet stamped "210 LRP 1965 816"	815.954
4	16	9.10	"R 149 1941" (NGS)	672.623

LINE 9.

L. R. Pipher, 1965; Book AV 1428

3	64	0.00	Beech Lake; at W. corner; 4.0 ft above ground; in N. wall of Berlin Township Consolidated School; standard tablet stamped "1328 PA"	1328.567
3	65	1.48	Beech Lake, 1.0 mi S. of; 16 ft W. of, and 2.9 ft higher than centerline of rd. opposite large boulder; in top of S. end of boulder; standard tablet stamped "223 LRP 1965 1244"	1243.905
3	66	1.73	Beech Lake, 2.0 mi S. of; 35 ft S. and 27 ft E. of, and 2.5 ft higher than centerline of crossroad; in top of large boulder; standard tablet stamped "222 LRP 1965 1209"	1209.429
3	69	3.38	Beech Lake, 3.5 mi S. of; 0.5 mi N. of Open Woods Pond; 56 ft S. and 13 ft E. of, and 1.2 ft higher than centerline of trail at junction of trail NW.; in concrete post; standard tablet stamped "221 LRP 1965 1250"	1250.497
3	71	4.74	"216 LRP 1965 1181" (Described in line 8)	1181.432
3	73	5.58	Open Woods Pond, 2.0 mi SW. of; 0.3 mi S. of junction of I-rd. S.; 22 ft S. and 17 ft W. of, and 0.8 ft lower than centerline of rd. at fence corner E.; in concrete post; standard tablet stamped "217 LRP 1965 1340"	1339.892
3	75	6.42	White Mills, 3.0 mi NE. of; 16 ft W. of, and 0.2 ft higher than centerline of rd. at drain crossing; in top of S. end of dam; standard tablet stamped "218 LRP 1965 1302"	1302.503
3	77	7.35	White Mills, 2.0 mi NE. of; 45 ft N. and 47 ft E. of, and 4.7 ft higher than centerline of rd. at junction of drive E.; in top of large boulder; standard tablet stamped "219 LRP 1965 1292"	1292.641
5	2	8.96	White Mills; 81 ft S. and 30 ft W. of, and 2.4 ft higher than center of bridge over Lackawaxen River; in top of W. end of S. concrete abutment; standard tablet stamped "220 LRP 1965 936"	936.540
5	4	10.41	Honesdale, about 3.5 mi E. of, along Erie RR.; 33 rails S. of milepost JC 131; 37 ft W. of centerline of track; in concrete post; NGS standard disk stamped "Y 50 1934"	932.013

1965

LINE 10.Feet

L. R. Pipher, 1965; Book AV 1428

1	52	0.00	"1328 PA" (Described in line 9)	1328.567
1	52	0.22	Beech Lake; 33 ft N. and 15 ft W. of, and 1.5 ft higher than center of bridge over stream; in top of N. end of W. concrete rail; standard tablet stamped "224 LRP 1965 1300"	1300.334
1	54	1.46	Beech Lake, 1.0 mi N. of; 39 ft N. and 36 ft E. of, and 0.6 ft higher than centerline of rd. at drain crossing; in top of large boulder; standard tablet stamped "225 LRP 1965 1303"	1303.042
1	56	2.23	Beech Lake, 2.0 mi N. of; 23 ft W. of, and 2.8 ft higher than centerline of rd. opposite large boulder; in top of boulder; standard tablet stamped "226 LRP 1965 1171"	1171.464
1	59	2.98	Beech Lake, 3.0 mi N. of; 60 ft N. and 60 ft E. of, and 8.8 ft higher than centerline of rd. at junction of I-rd. W.; in top of large boulder; standard tablet stamped "227 LRP 1965 1113"	1113.858
1	60	3.58	Boyds Mills; 19 ft N. of, and 1.2 ft higher than centerline of rd. at junction of I-rd. N.; in concrete post in center of grassy triangle; standard tablet stamped "193 LRP 1965 1110"	1110.335
1	61	4.19	Boyds Mills, 0.6 mi W. of; 11 ft S. and 14 ft W. of, and 0.8 ft lower than center of bridge over stream; in top of S. end of W. abutment of bridge; Pennsylvania Department of Highways standard disk stamped "194 LRP 1965 1112" (Erroneously stamped)	1112.819
1	62	4.69	Boyds Mills, 1.1 mi W. of; 14 ft S. and 14 ft W. of, and 0.4 ft lower than center of bridge at stream crossing; in top of S. end of W. abutment of bridge; standard tablet stamped "195 LRP 1965 1099"	1099.709
1	64	5.71	Boyds Mills, 2.0 mi W. of; 29 ft N. and 7 ft W. of, and level with centerline of rd. at tree line crossing; in concrete post; standard tablet stamped "196 LRP 1965 1313"	1313.009
1	67	6.79	Calkins, 5.0 mi S. of; 4.0 mi W. of Boyds Mills; 64 ft S. and 33 ft E. of, and 0.3 ft higher than centerline of rd. opposite Enterprise Grange (No. 52) Hall; in top of large boulder flush with ground; standard tablet stamped "197 LRP 1965 1479"	1479.362
1	69	7.78	Calkins, 6.0 mi S. of; 68 ft S. and 51 ft E. of, and 4.6 ft lower than centerline of rd. at junction of drive S. to curve; in top of large boulder; standard tablet stamped "198 LRP 1965 1457"	1457.366

1965

LINE 10 (Cont'd.)Feet

1	72	9.35	Beech Lake, 5.0 mi W. of; 27 ft N. and 14 ft E. of, and 2.0 ft higher than centerline of rd. at junction of drive N. just W. of Smith Hill Methodist Episcopal Church; in top of W. end of second step to church; standard tablet stamped "199 LRP 1965 1394"	1394.642
1	74	10.07	Smith Hill Church, 1.0 mi W. of; 25 ft N. and 18 ft E. of, and 0.7 ft higher than centerline of crossroad; in top of large boulder; standard tablet stamped "200 LRP 1965 1320"	1320.461
1	76	11.00	Smith Hill Church, 2.0 mi W. of; 13 ft N. and 13 ft E. of, and 3.2 ft higher than center of bridge over stream; in top of N. end of W. rail of concrete bridge; standard tablet stamped "201 LRP 1965 1136"	1136.111
1	77	11.87	Carley Brook School; 4.0 mi N. of Honesdale; 9 ft N. and 13 ft W. of, and 0.5 ft higher than center of bridge over Carley Brook; in top of W. end of N. rail of concrete bridge; standard tablet stamped "202 LRP 1965 1145"	1145.123
2	74	13.18	Carley Brook; 250 ft S. of church; 70 ft E. of centerline of rd.; in field; in boulder; standard tablet stamped "PRIM TRAV STA NO 24 1919 PA 1231"	1231.577

LINE 11.

L. R. Pipher, 1965; Book AV 1428

3	32	0.00	"27 H 1942 " (Described in line 2)	1595.058
3	32	0.00	Reference mark; 40 ft S. of tablet; 20 ft W. of centerline of rd.; 6 ft E. of wire fence; on boulder; chiseled square	1594.22
3	35	1.92	Rileyville; 0.1 mi E. of junction of State Highways 191 and 371; 18 ft S. of, and 0.5 ft lower than centerline of rd. at drain crossing; in top of S. end of box culvert; standard tablet stamped "187 LRP 1965 1591"	1590.720
3	37	2.42	Rileyville, 1.0 mi E. of; 19 ft N. of, and 0.5 ft lower than centerline of rd. at drain crossing; in top of N. concrete headwall of culvert; standard tablet stamped "186 LRP 1965 1631"	1630.720
3	39	3.34	Rileyville, 2.0 mi E. of; 19 ft N. of, and 0.6 ft lower than centerline of rd. at drain crossing; in center of top of N. concrete headwall of culvert; standard tablet stamped "185 LRP 1965 1581"	1581.173
3	43	5.08	Rileyville, 3.0 mi E. of; 18 ft N. and 70 ft W. of, and 0.6 ft lower than centerline of rd. at junction of T-rd. S.; in top of concrete headwall of box culvert; standard tablet stamped "184 LRP 1965 1297"	1296.635

1965

LINE 11 (Cont'd.)Feet

3	44	5.41	Fallsdale, 1.5 mi N. of; 5.0 mi W. of Damascus; 4.0 mi E. of Rileyville; 21 ft N. and 17 ft E. of, and 1.9 ft higher than centerline of rd. at junction of drive N.; in top of concrete headwall of culvert; standard tablet stamped "209 LRP 1965 1309"	1309.248
3	47	6.31	Rileyville, 5.0 mi E. of; 2.0 mi W. of Tyler Hill; 200 ft E. of junction of I-rd. N.; 18 ft S. of, and 0.2 ft lower than centerline of rd. at drain crossing; in top of concrete box culvert; standard tablet stamped "183 LRP 1965 1343"	1342.935
3	49	7.05	Tyler Hill, 1.0 mi W. of; 19 ft N. of, and 0.2 ft lower than centerline of rd. at stream crossing; in top of N. headwall of concrete culvert; standard tablet stamped "182 LRP 1965 1267"	1267.366
3	52	8.06	Tyler Hill; about 0.13 mi W. of post office; 16 ft N. of, and 0.3 ft lower than centerline of rd. at drain crossing; in top of concrete drain footings; standard tablet stamped "181 LRP 1965 1200"	1200.150
3	55	9.08	Tyler Hill, 1.0 mi E. of; 1.0 mi W. of Damascus; at top of hill; 23 ft N. of, and 1.0 ft lower than centerline of rd. at fence line N.; in concrete post; standard tablet stamped "180 LRP 1965 1212"	1211.958
3	58	10.06	Damascus; in front of school; 18 ft S. and 79 ft E. of, and 0.3 ft lower than centerline of rd. at junction of I-rd. S.; in top of concrete headwall of culvert; standard tablet stamped "179 LRP 1965 942"	942.145
3	61	11.05	"S 142 1941" (NGS) (Also in line 4)	751.695

LINE 12.

L. R. Pipher, 1965; Book AV 1428

3	2	0.00	"227 LRP 1965 1113" (Described in line 10)	1113.858
3	4	1.60	Beech Lake, 4.0 mi NE. of; 45 ft N. and 15 ft W. of, and 0.8 ft lower than centerline of rd. at junction of I-rd. W.; in concrete post; standard tablet stamped "228 LRP 1965 1133"	1133.451
3	6	2.52	Beech Lake, 4.0 mi NE. of; 43 ft S. and 18 ft E. of, and 1.7 ft higher than centerline of rd. at junction of I-rd. SE.; in concrete post; standard tablet stamped "192 LRP 1965 1247"	1246.965
3	9	4.01	Atco, 1.0 mi N. of; 52 ft N. and 22 ft E. of, and 1.2 ft higher than centerline of rd. at junction of drive E. to barn; in concrete post; standard tablet stamped "191 LRP 1965 1167"	1167.405

1965

LINE 12 (Cont'd.)

Feet

3	10	4.72	Atco, 2.0 mi N. of; 200 ft S. of junction of Y-rd.; 22 ft W. of, and 0.5 ft lower than centerline of rd. opposite large boulder; in top of large boulder; standard tablet stamped "190 LRP 1965 1166"	1166.036
3	13	7.10	Atco, 2.0 mi N. of, thence 1.0 mi E.; 61 ft N. and 51 ft E. of, and 0.5 ft lower than center of bridge over stream crossing; in top of large boulder; standard tablet stamped "139 LRP 1965 944"	944.817
3	16	8.17	Narrowsburg, 4.0 mi N. of; 40 ft N. of, and 4.5 ft higher than centerline of rd. opposite large boulder; standard tablet stamped "188 LRP 1965 854"	854.124
3	20	9.00	"X 142 1941" (HGS) (Also in line 5)	746.813

LINE 13.

L. R. Pipher, 1965; Book AV 1428

3	21	0.00	"193 LRP 1965 1110" (Described in line 10)	1110.335
3	22	0.83	Boyds Mills, 1.0 mi N. of; 4 ft S. and 45 ft W. of, and 2.3 ft lower than centerline of rd. at drain crossing; in top of large boulder; standard tablet stamped "205 LRP 1965 1261"	1261.845
3	24	1.76	Boyds Mills, 2.0 mi N. of; 18 ft N. and 22 ft E. of, and 1.0 ft lower than centerline of rd. at drain crossing; in concrete post; standard tablet stamped "206 LRP 1965 1373"	1373.158
3	27	3.01	Fallsdale; 40 ft S. and 16 ft E. of, and 0.5 ft lower than center of bridge at pond outlet; in top of E. end of S. concrete abutment of bridge; PDH standard disk stamped "207 LRP 1965 1168" (Erroneously stamped)	1168.644
3	29	3.78	Fallsdale, 1.0 mi N. of; 32 ft W. of, and 2.4 ft higher than centerline of rd. opposite large boulder in rocky field W.; in top of boulder; standard tablet stamped "208 LRP 1965 1281"	1281.079
3	30	4.49	"209 LRP 1965 1343" (Described in line 11)	1309.248

LINE 14.

L. R. Pipher, 1965; Book AV 1428

4	35	0.00	"183 LRP 1965 1343" (Described in line 11)	1342.935
4	36	0.99	Tyler Hill, 2.0 mi W. of, thence 1.0 mi N. along dirt rd.; 3.0 mi S. of Galilee; 26 ft W. of, and 0.1 ft higher than centerline of rd. opposite rock shelf at N. end of top of ridge; in top of rock shelf; standard tablet stamped "229 LRP 1965 1535"	1535.505

1965

LINE 14 (Cont'd.)Feet

4	39	2.21	Galilee, 1.5 mi S. of; 16 ft E. of, and 0.2 ft higher than centerline of rd. in curve opposite large boulder; in top of boulder; standard tablet stamped "230 LRP 1965 1396"	1396.419
4	42	3.48	Galilee; at schoolhouse; 10 ft S. of centerline of rd.; in field opposite rd. corner; in boulder; standard tablet stamped "PRM TRAV STA NO 26 PA 1209"	1207.356